


**2025 NEW
DESIGN
CABINET
WALL DOOR**



KITCHEN CABINET



For more newest design & art craft, please feel free to contact our project manager for excellent & professional solution.

Color variation might occur due to image & print issue, final color shall be based on real product in hand.






L3157B



L3110B



YH606



Y12





L1077



PHH-RL82720Y679R

Description	Item	Material
Door 1	L3157B	Lacquer
Door 2	L3110B	Lacquer
Door 3	YH606	Aluminum FrameGlass Door
Carcase	Y12	Melamine
Handle	L1077	
Countertop	PYHZX163215Y206RS	Sintered Stone






Description	Item	Material
Door 1	L3130A	Lacquer
Door 2	L3102B	Lacquer
Door 3	YH601	Aluminum Frame Glass Door
Carcase	Y116	Melamine
Handle	45°Beveled Door	
Countertop	PYHZX163215Y025RS	Sintered Stone





Description	Item	Material
Door 1	L3102B	Lacquer
Door 2	Y117	Melamine
Door 3	YH601	Aluminum Frame Glass Door
Carcase	Y117	Melamine
Handle	45°Beveled Door	
Countertop	PYHZX163215Y218RS	Sintered Stone



L3102B



Y117



YH601

45°Beveled Door



L3102B



PYHZX163215Y218RS



L3110B



C0211-B
Door shape: Shaker
Color Item: L3122B



Y12



GJM3331B



PRG-QS262

Description	Item	Material
Door	L3110B	Lacquer
Door shape option	C0211-B	
Carcase	Y12	Melamine
Handle	GMJ3331B	
Countertop	PRG-QS262	Quartz Stone



L3177B



C0211-B
Door shape: Shaker
Color Item: L3122B



Y12



PYHZX163215Y306RS

Description	Item	Material
Door	L3177B	Lacquer
Door shape option	C0211-B	
Carcase	Y12	Melamine
Countertop	PYHZX163215Y306RS	Quartz Stone





L3138A

Y503

YH602

Y12

J096



PCSQ280



45° Beveled Door

Description	Item	Material
Door 1	L3138A	Lacquer
Door 2	YH602	Aluminum Frame Glass Door
Open cabinet	Y503	Melamine
Cabinet	Y12	Melamine
Handle 1	J096	
Handle 2	45° Beveled Door	
Countertop	PCSQ280	Quartz Stone



L3130B




L3136B



PMB05




C0211-B
Door shape: Shaker
Color Item: L3122B



Y12



5436



PMJ-CN7053

Description	Item	Material
Door 1	L3101B	Lacquer
Door 2	L3136B	Melamine
Door 3	PMB05	Lacquer Frame Glass Door
Door shape option	C0211-B	
Carcase	Y12	Melamine
Handle	5436	
Countertop	PMJ-CN7053	Quartz Stone



L3101B



L3136B



Y125



YH601



45°Beveled Door



Y12



Y125



PMJ-CN7051

Description	Item	Material
Door 1	L3136B / L3101B	Lacquer
Door 2	Y125	Melamine
Door 3	YH601	Aluminum Frame Glass Door
Carcase	Y12 / Y125	Melamine
Handle	45°Beveled Door	
Countertop	PMJ-CN7051	Quartz Stone



L3101B



YH602



Ultra Clear
Fluted Glass



Y200



45° Beveled
Door



PSL8431-1

Description	Item	Material
Door 1	L3101B	Lacquer
Door 2	YH602	Aluminum Frame Glass Door
Glass	Ultra Clear Fluted Glass	Fluted Glass
Handle	45° Beveled Door	
Carcase	Y200	Melamine
Countertop	PSL8431-1	Quartz Stone



L3156B



Y126



45° Beveled
Door



C0211-B
Door shape: Shaker
Color Item: L3122B



Y12



PSL7016



Y710



Y720

Description	Item	Material
Door 1	L3156B	Lacquer
Cabinet	Y126	Melamine
Door shape option	C0211-B	
Carcase	Y12	Melamine
Handle	Y710	
Handle	Y720	
Countertop	PSL7016	Quartz Stone



L3176B




VA004




Y12



Slim Shaker C0606-B
Straight Frame 20mm
Door Thickness 21mm



PH3313



PSL-P9146

Description	Item	Material
Door 1	VA004	Lacquer
Door 2	VA004	Lacquer
Door shape option	C0606-B	
Carcase	Y12	Melamine
Countertop	PSL-P9146	Quartz Stone
Handle	PH3313	



Description	Item	Material
Door 1	L3130B	Lacquer
Door 2	L3177B	Lacquer
Carcase	Y12	Melamine
Handle	45°Beveled Door	
Countertop	PSL-P9146	Quartz Stone



L3158B



B3136B



Y509



45°Beveled
Door





L2318-200



PHH-RL82720Y679R

Description	Item	Material
Door 1	L3136B	Lacquer
Door 2	L3158B	Lacquer
Carcase	Y509	Melamine
Handle 1	45°Beveled Door	
Handle 2	L2318-200	
Countertop	PSL7015	Quartz Stone



L3101B

Y200

Y12

L1060/1070

PYHZX163215Y326RS

Description	Item	Material
Door 1	L3101B	Lacquer
Door 2	Y200	Lacquer
Carcase	Y12	Melamine
Handle	L1060 / 1070	
Countertop	PYHZX163215Y326RS	Sintered Stone



Y200



Y12



45° Beveled Door




QH106

Description	Item	Material
Door	Y200	Melamine
Carcase	Y12	Melamine
Handle	45° Beveled Door	
Countertop	QH106	Quartz Stone





Y115



Y126



YH601



Y12



45° Beveled Door



PYHZX163215Y502RS

Description	Item	Material
Door 1	Y115 / Y126	Melamine
Door 2	YH601	Aluminum Frame Glass Door
Carcase	Y12	
Handle	45° Beveled Door	
Countertop	PYHZX163215Y502RS	Sintered Stone



PSL7015

Description	Item	Material
Door 1	L3101B	Melamine
Door 2	BK125	Melamine
Door 3	YH601	Aluminum Frame Glass Door
Carcase	Y12	Lacquer
Handle	45°Beveled Door	
Countertop	PSL7015	Quartz Stone



L3110B



P397




C0211-B
Door shape: Shaker
Color Item: L3122B



Y12



Y2902-148



PRG-QS102 P6003

Description	Item	Material
Door 1	L3110B	Lacquer
Door 2	P397	PVC
Door shape option	C0211-B	
Carcase	Y12	Melamine
Handle	Y2902-148	
Countertop	PRG-QS102 P6003	Quartz Stone



P397



Y12



Slim shaker C0606-B
straight frame 20mm
door thickness 21mm



Y810



Y820



QS112

Description	Item	Material
Door	P397	PVC
Door shape option	C0606-B	
Carcase	Y12	Melamine
Handle 1	Y810	
Handle 2	Y820	
Countertop	QS112	Quartz Stone





Description	Item	Material
Door 1	K2307	PET
Door 2	K2136	UV
Door 3	Y127	Melamine
Door 4	YH602	Aluminum Frame Glass Door
Carcase	Y12	Melamine
Handle 1	Y610	
Handle 2	Y620	
Countertop	PSL7013	Quartz Stone



V6672



Slim shaker C0606-B
straight frame 20mm
door thickness 21mm



Y12



5438-128



PYHZX163215Y303RS

Description	Item	Material
Door	V6672	Aluminum Alloy
Door shape option	C0606-B	
Carcase	Y12	Melamine
Handle	5438-128	
Countertop	PYHZX163215Y303RS	Sintered Stone



VS-22903



Y115



J096



45°Beveled Door




PYHZX163215Y500RS


Description	Item	Material
Door	VS-22903	Wood Veneer
Carcase	Y115	Melamine
Handle 1	45°Beveled Door	
Handle 2	J096	
Countertop	PYHZ163215Y500RS	Sintered Stone

CABINET 3D STRCUTURE


Option 1 Cam-Lock



Option 2 Screw



Carcase Structure



Cabinet Structure



WARDROBE



For more newest design & art craft, please feel free to contact our project manager for excellent & professional solution. Color variation might occur due to image & print issue, final color shall be based on real product in hand.



Y105



HQ-001



GYT01+GYT011

Description	Item	Material
Door1	Y105	Melamine
Door2	HQ-001	Mirror Door
Carcase	Y105	Melamine
Hanger	GYT01+GYT011	Aluminum Alloy



Y117



GYT01+GYT011

Description	Item	Material
Door	Y117	Melamine
Carcase	Y12	Melamine
Hanger	GYT01+GYT011	Aluminum Alloy



Y115




Y116



L1219



GYT03+GYT031



Y118




Y2902-1100

Description	Item	Material
Door 1	Y115	Melamine
Door 2	Y116	Melamine
Carcase 1	Y115	Melamine
Carcase 2	Y116	Melamine
Handle	L1219	
Hanger	GYT03+GYT031	Aluminum Alloy

Description	Item	Material
Door	Y118	Melamine
Carcase	Y118	Melamine
Handle	Y2902-1100	




Description	Item	Material
Door	L3101B	Lacquer
Carcase	Y118	Melamine
Handle 1	J096	
Hanger 2	GYT01+GYT011	Aluminum Alloy



Description	Item	Material
Door 1	L3110B	Lacquer
Door 2	L3137B	Lacquer
Carcase	Y116	Melamine
Handle	J096	
Hanger	GYT01+GYT011	Aluminum Alloy



Y116



Y12



GYT01+GYT011

Description	Item	Material
Door	Y116	Melamine
Carcase	Y12	Melamine
Hanger	GYT01+GYT011	Aluminum Alloy



L3101B



Y106



J096




GYT01+GYT011

Description	Item	Material
Door	L3101B	Lacquer
Carcase	Y106	Melamine
Handle	J096	
Hanger	GYT01+GYT011	Aluminum Alloy



Description	Item	Material
Door 1	L3170	Lacquer
Door 2	Y128	Melamine
Hanger	GYT12+GYT12-1	Aluminum Alloy



Description	Item	Material
Door 1	Y130	Melamine
Door 2	Y506	Melamine
Carcase	Y506	Melamine
Hanger	GYT01+GYT011	Aluminum Alloy



Y118





Y200



GYT01+GYT011

Description	Item	Material
Door	Y118	Melamine
Carcase	Y200	Melamine
Hanger	GYT01+GYT011	Aluminum Alloy



Y12



Y125




GYT01+GYT011




Ultra Clear Glass

Description	Item	Material
Door	Y12	Melamine
Carcase	Y125	Melamine
Glass countertop	Ultra Clear Glass	Glass 8mm
Hanger	GYT01+GYT011	Aluminum Alloy



Description	Item	Material
Door	L3101B	Lacquer
Carcase	BK12	Melamine
Handle	T5538C	
Glass countertop	Gray Glass	Glass 8mm
Hanger	GYT01+GYT011	Aluminum Alloy

Description	Item	Material
Door	L3101B	Lacquer
Carcase	JQ-004	
Handle	Y12	Melamine
Glass countertop	Ultra Clear Glass	Glass 8mm
Hanger	GYT01+GYT011	Aluminum Alloy



Description	Item	Material
Door	L3130B	Lacquer
Carcase	Y118	
Handle	J096	Melamine
Glass countertop	Tea Color Glass	TGlass 8mm
Hanger	GYT01+GYT011	Aluminum Alloy



Description	Item	Material
Door	L3165B	Lacquer
Carcase	Y12	Melamine
Handle	Y2902-1100	
Hanger	GYT01+GYT011	Aluminum Alloy



Y117




Ultra Clear Glass



GYT01+GYT011

Description	Item	Material
Door	Y117	Melamine
Carcase	Y117	Melamine
Handle	GJM	
Glass countertop	Ultra Clear Glass	Glass 8mm
Hanger	GYT01+GYT011	Aluminum Alloy



Y117



Y105




Ultra Clear Glass




GYT01+GYT011

Description	Item	Material
Door	Y117	Melamine
Carcase	Y105	Melamine
Handle	L2217	
Glass countertop	Ultra Clear Glass	Glass 8mm
Hanger	GYT01+GYT011	Aluminum Alloy





L3161B C0211-B Y12 Y2902-148 GYT01+GYT011

Description	Item	Material
Door1	L3161B	Lacquer
Door2	C0211-B	
Carcase	Y12	Melamine
Handle	Y2902-148	
Hanger	GYT01+GYT011	Aluminum Alloy




L3160B Y200 J096-1 GYT01+GYT011

Description	Item	Material
Door	L3160B	Lacquer
Carcase	Y200	Melamine
Handle	J096-1	
Hanger	GYT01+GYT011	Aluminum Alloy




Description	Item	Material
Door	Y117	Melamine
Carcase	Y128	Melamine
Glass countertop	Gray Glass	Glass 8mm
Hanger	GYT01+GYT011	Aluminum Alloy




Description	Item	Material
Door1	L3130B	Lacquer
Door2	YH602	
Carcase	Y118	Melamine
Handle	45°Beveled Door	
Glass countertop	Ultra Clear Glass	Glass 8mm
Hanger	GYT01+GYT011	Aluminum Alloy




WARDROBE 3D STRCUTURE



Wardrobe Length from 400mm to 650mm



Wardrobe Length from 700mm to 900mm



L3101B



L3156B



L3170B



Y118



GYT01+GYT011

Description	Item	Material
Door1	L3156B	Lacquer
Door2	L3101B	Lacquer
Door3	L3170B	Lacquer
Carcase	Y118	Melamine
Hanger	GYT01+GYT011	Aluminum Alloy


Wardrobe Skirting Choice



Skirting Box 1



Skirting Box 2





Skirting Stand

VANITY



For more newest design & art craft, please feel free to contact our project manager for excellent & professional solution.

Color variation might occur due to image & print issue, final color shall be based on real product in hand.



BK111



BK12



PSL7013

Descrtption	Item	Material
Door	BK111	Melamine
Carcase	Y12	Melamine
Countertop	PSL7013	Quartz Stone
Handle	45°Beveled Door	



L3176B




BK12



PSL8431-1

Description	Item	Material
Door	L3176B	Lacquer
Carcase	BK12	Melamine
Countertop	PSL8431-1	Quartz Stone
Handle	45°Beveled Door	



BK126




45°Beveled Door



PYHZX163215Y218RS

Description	Item	Material
Door	BK126	Melamine
Carcase	BK126	Melamine
Countertop	PYHZX163215Y218RS	Sintered Stone
Handle	45°Beveled Door	



Y123



45°Beveled
Door




PSL8431-1

Description	Item	Material
Door	Y123	Melamine
Carcase	Y123	Melamine
Countertop	PSL8432-1	Quartz Stone
Handle	45°Beveled Door	



L3136B



Y117




PMJ-CN7051

Description	Item	Material
Door	L3136B	Melamine
Carcase	Y117	Melamine
Countertop	PMJ-CN7051	Quartz Stone



Description	Item	Material
Door	L3176B	Lacquer
Carcase	Y127	Melamine
Countertop	QS102	Quartz Stone
Handle	J096	



Description	Item	Material
Door	L3161B	Lacquer
Carcase	BK12	Melamine
Countertop	PYHZX163215Y322RS	Sintered Stone



Description	Item	Material
Door	L3167B	Lacquer
Carcase	Y12	Melamine
Countertop	PYHZX163215Y505RS	Sintered Stone
Handle	45°Beveled Door	



Description	Item	Material
Door	L3177B	Lacquer
Carcase	Y12	Melamine
Countertop	PYHZX163215Y505RS	Sintered Stone
Handle	45°Beveled Door	



L3650B L3122B Y12 PSL7013 J096

Description	Item	Material
Door	L3650B	Lacquer
Door	L3122B	Melamine
Carcase	Y12	
Countertop	PSL7013	Quartz Stone
Handle	J096	




L3177B Y12 PYHZX163215Y505RS 45°Beveled Door

Description	Item	Material
Door	L3177B	Lacquer
Carcase	Y12	Melamine
Countertop	PYHZX163215Y505RS	Sintered Stone
Handle	45°Beveled Door	



L3110B



Y126



PYHZX163215Y028RS



45°Beveled Door


Description	Item	Material
Door	L3110B	Lacquer
Carcase	Y126	Melamine
Countertop	PYHZX163215Y028RS	Sintered Stone
Handle	45°Beveled Door	



L3110B



Y125



PRG-QS102 P6003

Description	Item	Material
Door	L3110B	Lacquer
Carcase	Y125	Melamine
Countertop	PRG-QS102 P6003	Quartz Stone
Handle	45°Beveled Door	

HOUSE CABINET



L3139B



L3130B



Y109



Y3928

For more newest design & art craft, please feel free to contact our project manager for excellent & professional solution.
Color variation might occur due to image & print issue, final color shall be based on real product in hand.

Description	Item	Material
Door	L3101B	Lacquer
Door	L3130B	Lacquer
Carcase	Y109	Melamine
Handle	Y3928	



L3165B



K2130A



Y105



PSL-P9119



45°Beveled Door



L3101A




Y127



45°Beveled Door

Description	Item	Material
Door	L3165B	
Door	K2130A	UV
Carcase	Y105	Melamine
Countertop	PSL-P9119	Quartz Stone
Handle	45°Beveled Door	

Description	Item	Material
Door	L3101A	Lacquer
Carcase	Y127	Melamine
Handle	45°Beveled Door	



Description	Item	Material
Door	L3167B	Lacquer
Carcase	Y12	Melamine
Handle	45°Beveled Door	



Description	Item	Material
Door	L3135B	Lacquer
Carcase	Y105	Melamine
Handle	45°Beveled Door	



L3159B



L3101B



Y105




45°Beveled Door



L3101B



L3136B



Y117

Description	Item	Material
Door	L3159B	Lacquer
Door	L3101B	Lacquer
Carcase	Y105	Melamine
Handle	45°Beveled Door	

Description	Item	Material
Door	L3101B	Lacquer
Door	L3136B	Lacquer
Carcase	Y117	Melamine



Y117



Y127

Description	Item	Material
Door	Y127	Melamine
Door	Y127	Melamine
Carcase	Y117	Melamine




Y117



Y127

Description	Item	Material
Door	Y127	Melamine
Door	Y127	Melamine
Carcase	Y117	Melamine




Y130



L3101B



K2136




PYHZX163215Y329RS



Y571-33

Description	Item	Material
Door	Y130	Melamine
Carcase	Y130	Melamine

Description	Item	Material
Door	L3101B	Lacquer
Door	K2136	UV
Carcase	Y12	Melamine
Countertop	PYHZX163215Y329RS	Sintered Stone
Handle	Y571-33	



Y133



Y507




PYHZX163215Y213RS



45°Beveled Door

Description	Item	Material
Door	Y133	Melamine
Carcase	Y133	Melamine

Description	Item	Material
Door	Y507	Melamine
Carcase	Y507	Melamine
Countertop	PYHZX163215Y213RS	Sintered Stone
Handle	45°Beveled Door	



L3128B



L3101B



PSL7016



6093A-128

Description	Item	Material
Door	L3101B	Lacquer
Carcase	Y12	
Countertop	PSL7016	Sintered Stone
Handle	6093A-128	



L3156B



L3101B



Y113



Y118



45°Beveled Door

Description	Item	Material
Door 1	L3156B	Lacquer
Door 2	L3101B	Lacquer
Carcase	Y113	Melamine
Carcase	Y118	Melamine
Handle	45°Beveled Door	



Y126



Y118



45°Beveled Door



L3101B



L3156B




Y200



45°Beveled Door

Description	Item	Material
Door 1	Y127	Melamine
Door 2	Y118	Melamine
Carcase	Y126	Melamine
Handle	45°Beveled Door	

Description	Item	Material
Door 1	L3101B	Lacquer
Door 2	L3156B	Lacquer
Carcase	Y200	Melamine
Handle	45°Beveled Door	



Description	Item	Material
Door	L3131B	Lacquer
Carcase	Y118	Melamine
Handle	45°Beveled Door	

Description	Item	Material
Door 1	L3166B	Lacquer
Door 2	Y106	Melamine
Carcase	Y118	Melamine
Handle	45°Beveled Door	



L3161B



Y118



L3101B




L3167B



Y118

Description	Item	Material
Door 1	L3161B	Lacquer
Carcase	Y118	Melamine

Description	Item	Material
Door	L3101B	Lacquer
Carcase	L3167B	Lacquer
Handle	Y118	Melamine




L3167B



L3101B



Y118



L3101B



Y126



Y024-67C

Description	Item	Material
Door 1	L3167B	Lacquer
Door 2	L3101B	Lacquer
Carcase	Y118	Melamine

Description	Item	Material
Door	L3101B	Lacquer
Carcase	Y126	Melamine
Handle	Y024-67C	

COLOR BOOK


Melamine Series

Y: particle board thickness: 9mm/18mm/25mm BK: plywood thickness: 9mm/18mm



Max panel size 1200*2720mm: Y12-18, Y109-18, Y115-18, Y116-18, Y117-18, Y118-18

Max panel size 1200*2420mm: Other Y Series, Other BK Series



Max panel size 1220*2720mm: Y121-18, Y122-18, Y123-18, Y125-18, Y126-18, Y127-18, Y128-18, Y130-18, Y131-18, Y132-18, Y133-18

Max panel size 1220*2420mm: Other Y Series, Other Bk Series




Max panel size 1200*2720mm: Y135-18, Y136-18, Y137-18, Y138-18, Y139-18

Max panel size 1200*2420mm: Other Y Series, Other Bk Series



Max panel size 1200*2720mm: Y200-9/18/25, Y203-18, Y205-18, Y302-18, Y301-18, Y503-18, Y505-18, Y506-18, Y507-18, Y508-18, Y509-18, Y510-18

Max panel size 1200*2420mm: Other Y Series, Other Bk Series



Max panel size 1200*2420mm: K2130, K2131

Max panel size 1200*2720mm: K2136, K2150, K2152

Edge banding: ABS edge banding

PET Series

A mean high glossy finishing, B mean matt finishing



Pure color lacquer Series

A mean high glossy finishing, B mean matt finishing



Pure color lacquer Series

A mean high glossy finishing, B mean matt finishing






Pure color lacquer Series

A mean high glossy finish, B mean matt finish



• Door shape option

J078/ww02: high glossy finishing J096/45°Beveled Door/Grooved Door: high glossy and matt



• PVC Color Series



Max panel size 1200*2420mm: Aall colors in 9/25 mm thickness

Max panel size 1200*2720mm: All colors in 18/21 mm thickness

• PVC Color Series




Max panel size: 1200*2400mm

Door shape: flat, 45 degree beveled

Edge banding: ABS edge banding

Base material: MDF

• Wooden nature veneer



Max panel size: 1200*2400mm

Edge banding: ABS edge banding

Remark: no curve design

Door shape: flat, 45 degree beveled

Base material: Particle Board

• Nature wood veneer



Max panel size: 1200*2400mm

Door shape: slim shaker (C0606-B), 45 degree beveled

Edge frame: solid wood straight frame 20mm width

Base material: MDF

WOOD VENEER



STONE COUNTERTOP



• single color quartz counter top



MJ-OQ1018

MJ-OQ1024

MJ-OQ1033

225-1


225-2

225-3

Slab size: 1500x3000mm

Available thickness: 15mm/20mm

• pure color quartz countertop



QS102

QS100T

QS713

QS112

Slab size: 1500x3000mm

Available thickness: 20mm

• marble color quartz counter top



QH107

QH119

QH213

QH106

QV202

QV103



QV109

QD515

QV111

Slab size: 1500x3000mm

Available thickness: 20mm

• **Starry sky quartz countertop**



QY100

QY101


QY220

QY116

Slab size: 1500x3000mm

Available thickness: 20mm


• **Sintered Stone**



Slab size: 1500x3000mm

Available thickness: 20mm

• **Marble countertop edge finishing methods**



• **Countertop processing methods**



1. Stone strip support



2. Plastic steel strip support



3. Plywood support



4. Honeycomb aluminum panel support

• **Countertop Packaging Methods**





ARC CRAFT



Dispaly 1
Unlacquered MDF Arc Box



Dispaly 2
Unlacquered MDF Arc Box



Dispaly 3
Lacquered Arc Box



Dispaly 4
Unlacquered Plywood Arc Box



Dispaly 5
Unlacquered MDF Arc Box



Dispaly 6
Unlacquered MDF Arc Box



Dispaly 7
Unlacquered Arc Skirting Box



Dispaly 8
Unlacquered Arc Skirting Box



GLASS DOOR



Ultra Clear Glass Gray Glass Light Tea Glass Tea Glass Clear Glass



Ultra White Slim Fluted Glass Ultra White Fluted Glass Ultra White Rainbow Glass



Tea Mirror Gray Mirror Eco-Friendly Mirror Ultra Clear Mirror



FB001 Gray Film Glass FB004 Gray Film Glass



YH601 Thickness: 21mm YH602 Thickness: 21mm YH603 Thickness: 21mm YH604 Thickness: 21mm YH605 Thickness: 22mm



YH606 Thickness: 22mm YH701 Thickness: 22mm YH702 Thickness: 22mm




Sliding Door Track Semi-Concealed Frame Sliding Door Anti-Collision Strip Fully Concealed Frame Sliding Door Anti-Collision Strip Deep Brown Frame Sliding Door Wheel



Deep Brown Frame Special Buffer Sliding Door Wheel Sliding Door Buffer Sliding Door Rendering

WALL PANEL






Y122

Y126

Description	Item	Material
Wall Panel 1	Y122 flat	Melamine
Wall Panel 2	Y126 flat	Melamine



THE CRAFT STRUCTURE OF WALL PANELS



• Cabinet Packaging Methods



1. Flat Packing



2. Combination Packing



3. Wooden Base




4. Wooden Crate



WINDOWS & DOORS SERIES

STAR SERIES

STAR SERIES C-C95 Double Interior Window




Product Appearance

Appearance: Indoor and outdoor flat frame
Color: Regular color: Black skin, Silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee
Standard/Optional: Stainless flyscreen/Optional window security bar

Product Information/Open Methods

Profile Thickness: 66063-T5primary aluminum Thickness2.0mm
Box Width: 110mm
Opening Fan Width: 350mm-750mm
Opening Fan Height: 400mm-1500mm
Glass Configuration: 5mm+20A+5mm
Opening method: Tilt and Turn/Double Inward-opening



Product Performance

Water Tightness Performance: 600pa-Level 5
Airtightness Performance: 1.8m³/ (m·h) -Level 7
Sound Insulation Performance: 40dB-Level 5
Thermal Insulating Property: 1.8W/ (m²·K) -Level 7
Wind Pressure Resistance Performance: 4.8kPa- Level 8

Hardware Accessories

Hardware Configuration: HOPO baseless handle, flush hinges, customized lock point set

STAR SERIES C-C110 Casement Window




Product Appearance

Appearance: Indoor and outdoor flat frame
Color: Regular color: Black skin, silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee
Standard/Optional: Stainless flyscreen/Optional window security bar

Product Information/Open Methods

Profile Thickness: 6063-T5primary aluminum Thickness2.0mm
Box Width: 110mm
Opening Fan Width: 350mm-750mm
Opening Fan Height: 400mm-1500mm
Glass Configuration: 5mm+20A+5mm



Product Performance

Water Tightness Performance: 600pa-Level 5
Airtightness Performance: 1.8m³/ (m·h) -Level 7
Sound Insulation Performance: 40dB-Level 5
Thermal Insulating Property: 1.8W/ (m²·K) -Level 7
Wind Pressure Resistance Performance: 4.8kPa- Level 8

Hardware Accessories

Hardware Configuration: HOPO baseless handle, flush hinges, customized lock point set

▪ STAR SERIES C-C128
Six Track Sliding Window



▪ Product Appearance

Appearance: Fan material visible surface width 30mm
Color: Regular color: Black skin, Silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee, Champagne gold
Standard/Optional: Stainless flyscreen

▪ Product Information

Profile Thickness: 6063-T5 primary aluminum lower track thickness 2.9mm / fan material 1.8mm
Box Width: 128mm
Opening Fan Width: 350mm-2100mm (Single fan area < 3.5m²)
Opening Fan Height: 400mm-1500mm
Glass Configuration: 5mm+15A+5mm

▪ Product Performance

Water Tightness Performance: 400pa-Level 4
Airtightness Performance: 4.8m³/ (m·h) -Level 5
Sound Insulation Performance: 35dB-Level 4
Thermal Insulating Property: 2.5W/ (m²·K) -Level 5
Wind Pressure Resistance Performance: 4.3kPa- Level 7

▪ Hardware Accessories

Hardware Configuration: BOGO side-mounted automatic latch with key

▪ STAR SERIES C-M95
Casement Door



▪ Product Appearance

Appearance: Fan material visible surface width 40mm
Color: Regular color: Black skin, Silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee
Standard/Optional: External/inner door /Optional flyscreen /High and low rails /French

▪ Product Information

Profile Thickness: 6063-T5 primary aluminum thickness 2.0mm
Box Width: 95mm
Opening Fan Width: 1000mm (Single fan area < 2.5m²)
Opening Fan Height: 2500mm
Glass Configuration: 5mm+27A+5mm

▪ Product Performance

Water Tightness Performance: 600pa-Level 5
Airtightness Performance: 1.8m³/ (m·h) -Level 7
Sound Insulation Performance: 40dB-Level 5
Thermal Insulating Property: 1.8W/ (m²·K) -Level 7
Wind Pressure Resistance Performance: 4.8kPa- Level 8

▪ Hardware Accessories

Hardware Configuration: HOPO baseless handle, flush hinges, customized lock point set

▪ STAR SERIES C-M125/188
Ultra Slimline Sliding Door



▪ Product Appearance

Appearance: Extremely slim hidden frame
Color: Regular color: Black skin, Silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee
Standard/Optional: Optional flyscreen, optional triple track, optional corner without columns

▪ Product Information

Profile Thickness: 6063-T5 primary aluminum thickness 2.0mm, frame thickness 2.1mm, Main profiles 3.0mm
Box Width: 125/188mm
Opening Fan Width: 3000mm
Opening Fan Height: 3000mm
Glass Configuration: 5mm+20A+5mm
Opening Method: Sliding

▪ Product Performance

Water Tightness Performance: 450pa-Level 4
Airtightness Performance: 4.8m³/ (m·h) -Level 5
Sound Insulation Performance: 35dB-Level 4
Thermal Insulating Property: 2.3W/ (m²·K) -Level 6
Wind Pressure Resistance Performance: 5.0kPa- Level 9

▪ Hardware Accessories

Hardware Configuration: BOGO side-mounted automatic latch with key (Optional with key)

▪ STAR SERIES Y-M128/189
Lifting Sliding Door



▪ Product Appearance

Appearance: Extremely slim hidden frame
Color: Regular color: Black skin, Silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee
Standard/Optional: Stainless Bogo/Optional heavy duty lifting system

▪ Product Information

Profile Thickness: 6063-T5 primary aluminum fan thickness 3.0mm frame thickness 2.2mm
Box Width: 128mm
Opening Fan Width: 1200mm-3000mm (Single fan area < 4.8m²)
Opening Fan Height: 2000mm-3000mm
Glass Configuration: 5mm+20A+5mm

▪ Product Performance

Water Tightness Performance: 600pa-Level 5
Airtightness Performance: 1.8m³/ (m·h) -Level 7
Sound Insulation Performance: 40dB-Level 5
Thermal Insulating Property: 1.8W/ (m²·K) -Level 7
Wind Pressure Resistance Performance: 5.0kPa- Level 9

▪ Hardware Accessories

Standard Handle: Stainless BOGO/Optional siegenia lifting system/Load 200-400kg



STARLIGHT SERIES

STARLIGHT SERIES G-C60 Casement Window


Product Appearance

Appearance: Indoor and outdoor flat frame
Color: Regular color: Black skin, Silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee

Product Information

Profile Thickness: 6063-T5primary aluminum thickness1.4mm
Box Width: 60mm
Opening Fan Width: 350mm-750mm
Opening Fan Height: 400mm-1500mm
Glass Configuration: 5mm+12A+5mm

Open Methods




Outward
Opening



Awning



Outward opening
and Awning



Inward-opening
/Double inward-opening




Tilt and Turn

Product Performance

Water Tightness Performance: 600pa-Level 5
Airtightness Performance: 1.8m³/ (m·h) -Level 7
Sound Insulation Performance: 40dB-Level 5
Thermal Insulating Property: 1.8W/ (m²·K) -Level 7
Wind Pressure Resistance Performance: 4.5kPa- Level 8

Hardware Accessories

Hardware Configuration: HOPO Hardware



STARLIGHT SERIES G-C77/118 Sliding Window

Product Appearance

Appearance: Fan material visible surface width60mm
Color: Regular color: Black skin, Silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee

Product Information

Profile Thickness: 6063-T5primary aluminum,lower track1.4mm, fan thickness1.4mm
Box Width: 77mm/118mm
Opening Fan Width: 400mm-1300mm
Opening Fan Height: 400mm-1600mm
Glass Configuration: 5mm+12A+5mm
Opening method: Two/three-track

Product Performance/Product section

Water Tightness Performance: 350pa-Level 4
Airtightness Performance: 4.8m³/ (m·h) -Level 5
Sound Insulation Performance: 35dB-Level 4
Thermal Insulating Property: 2.5W/ (m²·K) -Level 5
Wind Pressure Resistance Performance: 4.3kPa- Level 7



Hardware Accessories

Hardware Configuration: BOGO Auto-Lock sliding hardware/Customized two lock



▪ STARLIGHT SERIES G-C50
Casement Window

▪ Product Appearance

Appearance: Indoor and outdoor flat frame
Color: Regular color: Black skin, Silver grey matt
Design concept: Minimalist modern appearance

▪ Product Information

Profile Thickness: thickness1.3mm, strengthen the neutrals thickness1.4mm
Box Width: 51.4mm
Single Fan Width: 300mm-600mm (Opening fan area <math>< 1\text{m}^2</math>)
Opening Fan Height: 400mm-1000mm
Glass Configuration: Single glass 6mm
Opening method: Glass Glue Fixing

▪ Product Performance

Water Tightness Performance: 500pa-Level 5
Airtightness Performance: $1.8\text{m}^3/(\text{m}\cdot\text{h})$ -Level 7
Sound Insulation Performance: 40dB-Level 5
Thermal Insulating Property: $2.0\text{W}/(\text{m}^2\cdot\text{K})$ -Level 6
Wind Pressure Resistance Performance: 4.3kPa- Level 7

▪ Hardware Accessories

Hardware Configuration: PA customized hardware



▪ STARLIGHT SERIES G-M70
Casemen Door

▪ Product Appearance

Appearance: Regular flush door frame
Color: Regular color: Black skin, Silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee
Standard/Optiona: Optional flyscreen/Optional built-in louvers/French

▪ Product Information

Profile Thickness: 6063-T5primary aluminum Thickness2.0mm
Box Width: 70mm
Single Fan Width: 1000mm (Single fan area <math>< 2.5\text{m}^2</math>)
Opening Fan Height: 2500mm
Glass Configuration: 5mm+27A+5mm
Opening method: Outward opening/Inward opening

▪ Product Performance

Water Tightness Performance: 600pa-Level 5
Airtightness Performance: $1.8\text{m}^3/(\text{m}\cdot\text{h})$ -Level 7
Sound Insulation Performance: 40dB-Level 5
Thermal Insulating Property: $1.8\text{W}/(\text{m}^2\cdot\text{K})$ -Level 7
Wnd Pressure Resistance Performance: 4.8kPa- Level 8

▪ Hardware Accessories

Hardware Configuration: HOPO baseless handle, flush hinges, customized lock point set (Optional CMECH)



▪ STARLIGHT SERIES G-M77/118
Sliding Door

Product Appearance

Appearance: Indoor and outdoor flat frame
Color: Sandy grey
Standard/Optiona: Stainless flyscreen/Optional window security bar

Product Information

Profile Thickness: 6063-T5primary aluminum thickness1.4mm
Box Width: 77/118mm
Opening Fan Width: 31400mm
Opening Fan Height: 2500mm
Glass Configuration: 5mm+12A+5mm
Opening method: Two/Three-track Sliding

Product Performance

Water Tightness Performance: 350pa-Level 4
Airtightness Performance: 4.8m³/ (m·h) -Level 5
Sound Insulation Performance: 35dB-Level 4
Thermal Insulating Property: 2.5W/ (m²·K) -Level 5
Wind Pressure Resistance Performance: 4.3kPa-Level 7

Hardware Accessories

Hardware Configuration: BOGO sliding hardware (Optional handle)

LIFTING & FOLDING SERIES



▪ T-C128
Hung Window

Product Appearance

Appearance: Fan material visible surface width30mm
Color: Regular color: Graphite black, Pearl white
Customized: Brown, Matte grey
Standard/Optiona: Heavy duty hooks, hollow spacers, double or single lift

Product Information

Profile Thickness: 6063-T5primary aluminum (OptionalT6) profiles thickness1.78mm
Box Width: 128mm
Single Fan Width: 400mm-1500mm (Single fan area < 3m²)
Total Fan Height: < 2600mm (Or single fan weight<60kg)
Glass Configuration: 5mm+15A+5mm

Product Performance

Water Tightness Performance: 600pa-Level 5
Airtightness Performance: 1.8m³/ (m·h) -Level 7
Sound Insulation Performance: 35dB-Level 4
Thermal Insulating Property: 2.5W/ (m²·K) -Level 5
Wind Pressure Resistance Performance: 4.8kPa- Level 8

Hardware Accessories

Hardware Configuration: American Caldwell AAMA certified high level lift hardware



▪ T-C83
Hung Window


▪ Product Appearance

Appearance: Fan material visible surface width 53mm
Color: Regular color: Graphite black, Pearl white
Customized: Brown, Matte grey
Standard/Optional: Heavy duty lifters, rolled tab lifters, pulley lifters, hollow spacers

▪ Product Information

Profile Thickness: 6063-T5 primary aluminum Thickness 1.5mm
Box Width: 83mm
Opening Fan Width: 400mm-1000mm
Opening Fan Height: 400mm-2000mm (or single fan weight ≤ 30Kg)
Glass Configuration: 4mm+12A+4mm
Opening method: Two/three-track

▪ Product styles



▪ Hardware Accessories

Hardware Configuration: Customized removable hardware



▪ Z-C65
Folding Window

▪ Product Appearance

Appearance: Indoor and outdoor flat frame
Color: Regular color: Black skin, Silver grey matt
Customized: Sandy black, Sandy grey, White, Dark coffee

▪ Product Information

Profile Thickness: 6063-T5 primary aluminum thickness 2.0mm
Box Width: 65mm, base frame 85mm
Single Fan Width: 300mm-700mm (Single fan area < 1.2m²)
Opening Fan Height: 400mm-1500mm
Glass Configuration: 5mm+15A+5mm
Opening method: Folding (Single/double sided folding), Outward/Inward opening

▪ Product Performance

Water Tightness Performance: 500pa-Level 5
Airtightness Performance: 3.2m³/ (m·h) -Level 6
Sound Insulation Performance: 40dB-Level 5
Thermal Insulating Property: 2.3W/ (m²·K) -Level 6
Wind Pressure Resistance Performance: 4.3kPa- Level 7

▪ Hardware Accessories

Hardware Configuration: Kerssenberg folding hardware, standard Lock



▪ Z-M75
Folding Door

▪ Product Appearance

Appearance: Folding door
Color: Regular color: Sandy grey, Black skin
Standard/Optional: Standard with lock, optional flush door

▪ Product Information


Profile Thickness: 6063-T5primary aluminum thickness2.0mm
Box Width: 75mm
Opening Fan Width: <700mm
Opening Fan Height: <2700mm
Glass Configuration: 5mm+20A+5mm
Opening method: Inward folding, outward folding, double/single side open

▪ Product Performance

Water Tightness Performance: 500pa-Level 5
Airtightness Performance: 3.2m³/ (m·h) -Level 6
Sound Insulation Performance: 40dB-Level 5
Thermal Insulating Property: 2.3W/ (m²·K) -Level 6
Wind Pressure Resistance Performance: 4.8kPa- Level 8

▪ Hardware Accessories

Hardware Configuration: Kerksenberg folding Hardware



SKYLIGHT SERIES

▪ SKYLIGHT SERIES
Thmeral Broken Fixed Skylight

▪ Product Appearance

Appearance: Minimalist look
Color: Sandy grey
Apply to: Light wells/patios/roofs/sunrooms

▪ Product Information

Profile Thickness: 6063-T5primary aluminum Profile thickness2.5mm
Box Width: 70mm
Box Heigh: 151mm
Opening Fan Width: 700mm
Opening Fan Height: 3200mm (Single fan < 2m²)



▪ SKYLIGHT SERIES
Tempered Skylight

▪ Product Appearance

Appearance: Minimalist look
Color: Sandy grey
Apply to: Light wells/patios/roofs/sunrooms

▪ Product Information

Profile Thickness: 6063-T5primary aluminum Profile thickness2.5mm
Box Width: 53mm
Box Height: 171mm
Opening Fan Width: 700mm
Opening Fan Height: 3000mm (Single fan < 4m²)



SUNROOM SERIES

▪ SUNROOM SERIES
Customized Sunroom

▪ Product Appearance

Appearance: Fan material visible surface width58-140mm
Color: Sandy grey
Standard/Optiona: Customized on request

▪ Product Information

Profile Thickness: 6063-T5primary aluminum thickness1.3mm
Handle: German HOPO
Hinge: Stanford load-bearing hinges
Optional Flyscreen: 0/11 mesh (aperture 2.0mm) anti-shearing anti-theft carbon steel level
Glass Configuration: (5mm+16A+5mm/5MM+24A+5mm)double glass/Laminated glass

▪ Picture





CURTAIN WALL SERIES

- CURTAIN WALL SERIES
Frame Curtain Wall

▪ Product Appearance


Appearance: Open-frame curtain wall
Color: Regular color: Black skin, Silver grey matt
Standard/Optiona: Window Configuration

▪ Product Information

Profile Thickness: 6063-T5primary aluminum frame thickness2.5mm column thickness3.0mm
Box Width: 119mm
Glazing Gap: 34mm
Opening Splicing: Window opening in the form of a square tube lap
Glass Configuration: 6mm+12A+4mm Insulating glass, with pressed adhesive position, can be pressed adhesive and glued


▪ Product Performance/Product Sections

Water Tightness Performance: Level 5
Airtightness Performance: $1.7m^3 / (m \cdot h)$ -Level 5
Sound Insulation Performance: 45dB-Level 5
Thermal Insulating Property: $3.3W / (m^2 \cdot K)$ -Level 5
Wind Pressure Resistance Performance: 4.5kPa- Level 8



▪ Hardware Accessories

Window Configuration: Casement / sunshade window



- CURTAIN WALL SERIES
Glass Curtain Wall

▪ Product Appearance

Material: 304/316stainless steels
Finish: Satin/Polished/Black/Golden
Specs: 150/200/220/250mmc/c

▪ Product Appearance



X Style



L Style



I Style



PARTITION SERIES

- PARTITION SERIES
Glass Partition



▪ Product Appearance

Color: Glossy white, Sandy black, Sandy grey, Champagne brushed

▪ Product Information


Product Width: 60mm/83mm/100mm

Profile wall thickness: 1.4mm/2.0mm

Height of the ground trough: 40mm/80mm

Glass specifications: Double tempered glass 12mm

Scope of application: Office buildings, exhibition halls, hotels, airports, schools, shopping malls, hospitals, etc.



▪ Hardware Accessories



Glass Door Locks




Glass Door Hinge



Glass Door Bumper



25mm Aluminum Alloy Louver



RAILING SERIES

- RAILING SERIES
Exterior Stainless Steel Guardrail

▪ Product Information

Glass railing: 1200mmH

Material: 304 stainless steels

Finish: Satin/polished/gold

Glass adaptation: 8-12mm thick glass

▪ Glass Clamp





▪ RAILING SERIES
Outdoor Guardrail

▪ Product Information

Material: 304/316stainless steels
 Finish: Satin/Polished/Black/Golden
 Glass adaptation: $\Phi 38/42/50.8$ mm handle and 8-13.52mm thick glass


▪ Glass Clamp



▪ Product Information

Height: 1200mmH
 Material: 304/316stainless steels
 Finish: Satin/Polished/Black/Golden
 Specs: $\Phi 38/42/50.8$ mm column with $\Phi 8-12$ mm rod

▪ Metal Hardware



▪ RAILING SERIES
Exterior Glass Railing

▪ Product Information

Height: 1200mmH
 Material: 304/316stainless steels
 Finish: Satin/Polished/Black/Golden
 Glass adaptation: 8-13.52mm thick glass

▪ Railing



▪ Metal Hardware





HONORARY QUALIFICATIONS

